Identifying stressors to Aquatic Biota

Sean Regalado



Goal

To share a methodology we're developing to identify water quality stressors in an automated framework using patterns of **beta diversity** and decades of best professional judgement (BPJ).



Compare sites we know LITTLE about (i) to sites we know A LOT about (j) using measures of beta diversity.

Compare sites we know LITTLE about (i) to sites we know A LOT about (j) using measures of beta diversity.

Compare sites we know LITTLE about (i) to sites we know A LOT about (j) using measures of beta diversity.



Compare sites we know LITTLE about (i) to sites we know A LOT about (j) using measures of beta diversity.





The extent of differentiation of communities along habitat gradients
Whittaker, R.H. 1972

Compare sites we know LITTLE about (i) to sites we know A LOT about (j) using measures of beta diversity.



The extent of differentiation of communities along habitat gradients
Whittaker, R.H. 1972

Baselga, A. (2013). Separating the two components of abundance-based dissimilarity: balanced changes in abundance vs. abundance gradients. *Methods in Ecology and Evolution*, 4(6), 552-557.

Iterative Approach

Compare sites we know LITTLE about (i) to sites we know A LOT about (j) using measures of beta diversity.



The extent of differentiation of communities along habitat gradients
Whittaker, R.H. 1972

Baselga, A. (2013). Separating the two components of abundance-based dissimilarity: balanced changes in abundance vs. abundance gradients. *Methods in Ecology and Evolution*, 4(6), 552-557.

Iterative Approach

Compare sites we know LITTLE about (i) to sites we know A LOT about (j) using measures of beta diversity.



The extent of differentiation of communities along habitat gradients

Whittaker, R.H. 1972

Accounts for total abundance-based dissimilarity between sites, measured as the Bray-Curtis index Baselga (2013)

Baselga, A. (2013). Separating the two components of abundance-based dissimilarity: balanced changes in abundance vs. abundance gradients. *Methods in Ecology and Evolution*, 4(6), 552-557.

Iterative Approach

Compare sites we know LITTLE about (i) to sites we know A LOT about (j) using measures of beta diversity.




The extent of differentiation of communities along habitat gradients
Whittaker, R.H. 1972

Accounts for total abundance-based dissimilarity between sites, measured as the

Bray-Curtis index Baselga (2013)

Compare sites we know LITTLE about (i) to sites we know A LOT about (j) using measures of beta diversity.




The extent of differentiation of communities along habitat gradients

Whittaker, R.H. 1972

Accounts for total abundance-based dissimilarity between j=12 sites, measured as the Bray-Curtis index Baselga (2013)

··jth

Compare sites we know LITTLE about (i) to sites we know A LOT about (j) using measures of beta diversity.




The extent of differentiation of communities along habitat gradients

Whittaker, R.H. 1972

Accounts for total abundance-based dissimilarity between sites, measured as the Bray-Curtis index Baselga (2013)

··jth

Compare sites we know LITTLE about (i) to sites we know A LOT about (j) using measures of beta diversity.



The extent of differentiation of communities along habitat gradients

Whittaker, R.H. 1972

Accounts for total abundance-based dissimilarity between sites, measured as the Bray-Curtis index Baselga (2013)

``jth


Compare sites we know LITTLE about (i) to sites we know A LOT about (j) using measures of beta diversity.




The extent of differentiation of communities along habitat gradients

Whittaker, R.H. 1972

Accounts for total abundance-based dissimilarity between sites, measured as the Bray-Curtis index Baselga (2013)





South Mtn. Jay Branch Trib 7 Branch

stressor source

Sediment

Sediment

POTENTIAL SEDIMENT

FROM

DEVELOPMENT


EROSION

FROM LAND

DEVELOPMENT


ACTIVITIES

Dutton Brook



Biologist's notes on Dutton Brook

...The percent Oligocheata is very high with 19 percent, 14 percent Lumbricina at large aquatic earth worm type worm, and Lumbriculidae. Typically these animals indicate a sediment problem.



Biologist's notes on Potash Brook

Community however remaines very low in richness and EPT taxa present.

Link Monitoring Locations to NHDPlus REACHCODES

Categorize reaches as (i)s and (j)s

Impose knowledge upon the algorithm

Link Monitoring Locations to NHDPlus REACHCODES

Categorize reaches as (i)s and (j)s

Impose knowledge upon the algorithm

Link Monitoring Locations to NHDPlus REACHCODES

Categorize reaches as (i)s and (j)s

Impose knowledge upon the algorithm

Link Monitoring Locations to NHDPlus REACHCODES

Categorize reaches as (i)s and (j)s


Impose knowledge upon the algorithm


Link Monitoring Locations to NHDPlus REACHCODES

Categorize reaches as (i)s and (j)s

Impose knowledge upon the algorithm


Link Monitoring Locations to NHDPlus REACHCODES








For loop through each LocationID In R to find nearest NHD ReachCode


```
for (i in 1:nrow(Sites)) {
 tryCatch({
   pts<-Sites[i,] #subset site
   pts_list <- gWithinDistance(pts, Lines,byid=TRUE, dist=100) #find all sites within 1000m
   pts list<-data.frame(pts list) #convert site matrix to dataframe
   pts_list$REACHCODE<-row.names(pts_list) #add row names (site IDs) to a field
   pts list<-pts list[which(pts_list[,1]==TRUE),] #subset nearest lines</pre>
   near reaches<-pts list$REACHCODE #create a vector of line IDs (RIDs)
   res.mat<-qDistance(pts,Lines[match(near reaches, Lines@data$RID),], byid=TRUE)
   res.mat<-data.frame(res.mat) #convert results matrix to dataframe
   res.mat$VRAMRID<-colnames(res.mat) #add column name (point id) to all values of an ID field
   res.mat$LINESID<-rownames(res.mat) #add row names (Line IDs (RIDs)) to a LINE id field
   rownames(res.mat) <-NULL
   colnames(res.mat)[1]<-"Distance"
   #res.mat1<-res.mat</pre>
   res.mat1<-rbind(res.mat1, res.mat)
 }, error=function(e){})
```




















Categorize reaches as (j)s



Join Listings and Sites by matching REACHCODES

		REACHCODE	LocationID	LocationNa	atMeasure
	1,	01080106000134	505049	Ottauquechee River	84.3
	27.58 88.	01080106000134	501346	Ottauquechee River	97.7
- رر	3	01080106003685	501347	Ottauquechee River	1.2
	4	01080106003848	501363	East Trib Roaring Brook	22.6
	5	01080106003848	501364	East Trib Roaring Brook	41.9
	6	01080106003848	505060	East Trib Roaring Brook	3.7
	7	01080106003848	505061	East Trib Roaring Brook	35.2
	8	01080106005248	501360	Roaring Brook	92.0
	9	01080106005248	515406	Roaring Brook	60.9
	10	01080106005251	505056	Roaring Brook	88.8
	31	01080106005252	501361	Roaring Brook	21.6
	12	01080106005253	501368	West Trib Roaring Brook	9.1
	13	01080106005253	501369	West Trib Roaring Brook	69.1
	14	01080106005254	501362	Roaring Brook	59.4
	15	01080106008272	501374	Pico Pond Inlet	51.9

+10,202 more LocationIDs

01080106008289 040801060

501347

505049

Send sites currently listed to the (j)s

		REACHCODE	LocationID	LocationNa	atMeasure	L.REACHCODE	A.
	1,	01080106000134	505049	Ottauquechee River	84.3	NA	
	188	01080106000134	501346	Ottauquechee River	97.7	NA	
<u></u>	~ <u>3</u>	01080106003685	501347	Ottauquechee River	1.2	01080106003685	
	4	01080106003848	501363	East Trib Roaring Brook	22.6	NA	
	5	01080106003848	501364	East Trib Roaring Brook	41.9	NA	060
	6	01080106003848	505060	East Trib Roaring Brook	3.7	NA	
	7	01080106003848	505061	East Trib Roaring Brook	35.2	NA	
	8	01080106005248	501360	Roaring Brook	92.0	01080106005248	
	9	01080106005248	515406	Roaring Brook	60.9	01080106005248	
	10	01080106005251	505056	Roaring Brook	88.8	NA	100
	31	01080106005252	501361	Roaring Brook	21.6	NA	10
1	12	01080106005253	501368	West Trib Roaring Brook	9.1	NA	
	13	01080106005253	501369	West Trib Roaring Brook	69.1	NA	
	14	01080106005254	501362	Roaring Brook	59.4	NA	
	15	01080106008272	501374	Pico Pond Inlet	51.9	NA	

+10,202 more LocationIDs

501362

01080106006

505061×

01080106008289 01080106008290

Send sites currently listed to the (j)s

		REACHCODE	LocationID	LocationNa	atMeasure	L.REACHCODE	
	1,	01080106000134	505049	Ottauquechee River	84.3	NA	
	188	01080106000134	501346	Ottauquechee River	97.7	NA	
	3	01080106003685	501347	Ottauquechee River	1.2	01080106003685	
	4	01080106003848	501363	East Trib Roaring Brook	22.6	NA	
	5	01080106003848	501364	East Trib Roaring Brook	41.9	NA	0600
	6	01080106003848	505060	East Trib Roaring Brook	3.7	NA	
	7	01080106003848	505061	East Trib Roaring Brook	35.2	NA	
	8	01080106005248	501360	Roaring Brook	92.0	01080106005248	
	9	01080106005248	515406	Roaring Brook	60.9	01080106005248	
	10	01080106005251	505056	Roaring Brook	88.8	NA	1060
	31	01080106005252	501361	Roaring Brook	21.6	NA	100
1	12	01080106005253	501368	West Trib Roaring Brook	9.1	NA	
	13	01080106005253	501369	West Trib Roaring Brook	69.1	NA	-
	14	01080106005254	501362	Roaring Brook	59.4	NA	
	15	01080106008272	501374	Pico Pond Inlet	51.9	NA	

+10,202 more LocationIDs

LISTING

01080106082

01080106008289 010801060081

505049



Send sites currently listed to the (j)s

		REACHCODE	LocationID	LocationNa	atMeasure	L.REACHCODE	FM easure	TMeasure
	1,	01080106000134	505049	Ottauquechee River	84.3	NA	NA	NA
	188	01080106000134	501346	Ottauquechee River	97.7	NA	NA	NA
<u>-</u> [~ <u>3</u>	01080106003685	501347	Ottauquechee River	1.2	01080106003685	0	100
	4	01080106003848	501363	East Trib Roaring Brook	22.6	NA	NA	NA
	5	01080106003848	501364	East Trib Roaring Brook	41.9	NA	NA	NA
	6	01080106003848	505060	East Trib Roaring Brook	3.7	NA	NA	NA
	7	01080106003848	505061	East Trib Roaring Brook	35.2	NA	NA	NA
	8	01080106005248	501360	Roaring Brook	92.0	01080106005248	59.1	70.9
	9	01080106005248	515406	Roaring Brook	60.9	01080106005248	59.1	70.9
	10	01080106005251	505056	Roaring Brook	88.8	NA	NA	NA
	31	01080106005252	501361	Roaring Brook	21.6	NA	NA	NA
1	12	01080106005253	501368	West Trib Roaring Brook	9.1	NA	NA	NA
	13	01080106005253	501369	West Trib Roaring Brook	69.1	NA	NA	NA
	14	01080106005254	501362	Roaring Brook	59.4	NA	NA	NA
	15	01080106008272	501374	Pico Pond Inlet	51.9	NA	NA	NA

+10,202 more LocationIDs


LISTING



Send sites currently listed to the (j)s


		REACHCODE	LocationID	LocationNa	atMeasure	L.REACHCODE	FMeasure	TMeasure
	1,	01080106000134	505049	Ottauquechee River	84.3	NA	NA	NA
	188	01080106000134	501346	Ottauquechee River	97.7	NA	NA	NA
[3	01080106003685	501347	Ottauquechee River	1.2	01080106003685	0	100
	4	01080106003848	501363	East Trib Roaring Brook	22.6	NA	NA	NA
	5	01080106003848	501364	East Trib Roaring Brook	41.9	NA	NA	NA
	6	01080106003848	505060	East Trib Roaring Brook	3.7	NA	NA	NA
	7	01080106003848	505061	East Trib Roaring Brook	35.2	NA	NA	NA
	8	01080106005248	501360	Roaring Brook	92.0	01080106005248	59.1	70.9
	9	01080106005248	515406	Roaring Brook	60.9	01080106005248	59.1	70.9
	10	01080106005251	505056	Roaring Brook	88.8	NA	NA	NA
	31	01080106005252	501361	Roaring Brook	21.6	NA	NA	NA
	12	01080106005253	501368	West Trib Roaring Brook	9.1	NA	NA	NA
	13	01080106005253	501369	West Trib Roaring Brook	69.1	NA	NA	NA
	14	01080106005254	501362	Roaring Brook	59.4	NA	NA	NA
	15	01080106008272	501374	Pico Pond Inlet	51.9	NA	NA	NA


+10,202 more LocationIDs



Categorize (i)s

		0/0/	
	REACHCODE	LocationID	LocationNa
1	01080106000134	505049	Ottauquechee River
2.708 1.000	01080106000134	501346	Ottauquechee River
4	01080106003848	501363	East Trib Roaring Brook
5	01080106003848	501364	East Trib Roaring Brook
6	01080106003848	505060	East Trib Roaring Brook
7	01080106003848	505061	East Trib Roaring Brook
8	01080106005248	501360	Roaring Brook
10	01080106005251	505056	Roaring Brook
11	01080106005252	501361	Roaring Brook
12	01080106005253	501368	West Trib Roaring Brook
33	01080106005253	501369	West Trib Roaring Brook
14	01080106005254	501362	Roaring Brook
15	01080106008272	501374	Pico Pond Inlet
Contractor of the Contractor		CONTRACTOR OF THE PROPERTY OF	AND THE PROPERTY OF THE PROPER











Join Biological Assessment Data

				0/0/	
		REACHCODE	LocationID	LocationNa	Assessment
	10	01080106000134	505049	Ottauquechee River	F-Poor
	10,80	01080106000134	501346	Ottauquechee River	Fair
لر	⁻⁵ 5	01080106003848	501363	East Trib Roaring Brook	Vg-Good
	6	01080106003848	501364	East Trib Roaring Brook	Vg-Good
	12	01080106003848	505060	East Trib Roaring Brook	Good
	13	01080106003848	505061	East Trib Roaring Brook	VGood
	2	01080106005248	501360	Roaring Brook	F-Poor
	11	01080106005251	505056	Roaring Brook	Good
	3	01080106005252	501361	Roaring Brook	G-Fair
	7	01080106005253	501368	West Trib Roaring Brook	Good
	8	01080106005253	501369	West Trib Roaring Brook	F-Poor
1	4	01080106005254	501362	Roaring Brook	Fair
	9	01080106008272	501374	Pico Pond Inlet	F-Poor





01080106008289 0108010600 0708010600 0708010600 07080106008289



) قرے					010100		
	REACHCODE	F.Poor	Fair	G.Fair	Good	Vg.Good	VGood
1	01080106000134	1	1	0	0	0	0
2	01080106003848	0	0	0	1	2	1
3	01080106005248	1	0	0	0	0	0
4	01080106005251	0	0	0	1	0	0
0%	01080106005252	0	0	1	0	0	0
6	01080106005253	1	0	0	1	0	0
7	01080106005254	0	1	0	0	0	0
8	01080106008272	1	0	0	0	0	0

0108010600525³

01080106008289 01080106008290

1000,00000

Delete REACHCODES where >3/4 are Passing

	07080705	6005247	× × × × × × × × × × × × × × × × × × ×	×		515406 ⁰	08000	- Fair	\ }
,,	\	REACHCODE	F.Poor	Fair	G.Fair	Good	Vg.Good	VGood	b 3
	1	01080106000134	1	1	0	0	0	0	1
	2	01080106003848	0	0	0	1	2	1	0
	3	01080106005248	1	0	0	0	0	0	1
	4	01080106005251	0	0	0	1	0	0	0
	్రస్తో	01080106005252	0	0	1	0	0	0	0
7	6	01080106005253	1	0	0	1	0	0	1
	7	01080106005254	0	1	0	0	0	0	1
	8	01080106008272	1	0	0	0	0	0	1



Delete REACHCODES where >3/4 are Passing

01080708005247 F.Poor Good Vg.Good **REACHCODE** Fair G.Fair **VGood b**3 01080106000134 0 01080106005248 01080106005253 01080106005254 01080106008272 0 0



Delete REACHCODES where >3/4 are Passing


REACHCODE F.Poor Fair G.Fair Good Vg.Good VGood b3

1 01080106000134 1 1 0 0 0 0 0 1


3 01080106005248 1 0 0 0 0 0 0 1

6 01080106005253 1 0 0 1 0 0 0 1


7 01080106005254 0 1 0 0 0 0 1




Habitat gradient




``jth



Stream Size





Stream Size Sampling Method





Stream Size Sampling Method Eco region


Habitat gradient













X, Y Coordinates of Sites


X, Y Coordinates of a listing's Outlet & Inlet

And Bug/Fish counts for each sample at each site.

Identifying stressors to Aquatic Biota


Sean Regalado





Biologist's notes on Annis Brook

...Moss is the most significant periphyton with good cover. This is likely one reason for high percent of Olumnius latisculus



Biologist's notes Lemon Fair Trib

...The dominat taxa show H betteni and Chuematopsyche as teo domiate taxa. Only two dom taxa are WQ sensitive.